

## Cattle-Lac Liquid 25

L

### Guaranteed Analysis

Crude Protein, not less than (This includes not more than 14% equivalent protein from non-protein nitrogen)	25.00%	Iodine (I), not less than	2.00ppm
Crude Fat, not less than	1.00%	Iron (Fe), not less than	150.00ppm
Moisture, not more than	44.00%	Manganese (Mn), not less than	29.00ppm
Phosphorus (P), not less than	0.50%	Selenium (Se), not less than	0.30ppm
Magnesium (Mg), not less than	0.20%	Zinc (Zn), not less than	145.00ppm
Potassium (K), not less than	1.40%	Vitamin A, not less than	25,000 I.U./lb
Cobalt (Co), not less than	0.40ppm	Vitamin D, not less than	6,500 I.U./lb
Copper (Cu), not less than	30.00ppm	Vitamin E, not less than	20.00 I.U./lb

### Ingredients:

Condensed Corn Distillers Solubles, Cane Molasses ("Black Strap"), Fish Solubles, Hemicellulose Extract, Urea, Concentrated Separated By-products, Phosphoric Acid, Sulfuric Acid, Vitamin A Supplement, D-Activated Plant Sterol (source of Vitamin D3), D1-Alpha-Tocopheryl Acetate (source of Vitamin E), Copper Sulfate, Cobalt Sulfate, Manganese Sulfate, Zinc Sulfate, Ethylenediamine Dihydrochloride (source of Iodine).

### Feeding Directions:

Cattle-Lac Liquid 25 should be fed free choice in lick wheel feeders to RUMINANTS ONLY.

Place feeder away from where animals congregate (loafing areas).

One wheel should be available for each 25 head.

Cattle should consume from 1-3 pounds daily depending on supplementary feed, and quality and quantity of roughage.

Always provide adequate quantities of roughage, water and minerals at all times.